

# SAFETY DATA SHEET Ammoniated Polish Stripper

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name Ammoniated Polish Stripper

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

## 1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

### 1.4. Emergency telephone number

**Emergency telephone** Emergency contact number (9am to 5pm Monday to Friday excluding bank holidays): 01295

251721 ask for technical, quoting the product name.

Emergency Action: In the event of a medical enquiry involving this product outside of these hours, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) again quoting product name and where applicable present this

MSDS to the medical professional.

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Not Classified

Classification (67/548/EEC or -

1999/45/EC)

## 2.2. Label elements

## Pictogram





Signal word Danger

Revision date: 28/09/2017 Revision: 3 Supersedes date: 11/05/2017

# **Ammoniated Polish Stripper**

Hazard statements H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

**Precautionary statements** P260 Do not breathe vapour/ spray.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains ALKYL C9-C13 SULPHATE, DISODIUM METASILICATE, AMMONIA ...%

Supplementary precautionary

statements

P332+P313 If skin irritation occurs: Get medical advice/ attention.

### 2.3. Other hazards

Other Hazards None

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| ALKYL C9-C13 SULPHATE | 5-10% |
|-----------------------|-------|
|                       |       |

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41. R43.

Eye Dam. 1 - H318 Skin Sens. 1 - H317

DISODIUM METASILICATE 1-5%

CAS number: 10213-79-3 EC number: 229-912-9 REACH registration number: 01-

2119449811-37-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1B - H314 C;R34. Xi;R37.

Eye Dam. 1 - H318 STOT SE 3 - H335 Revision date: 28/09/2017 Revision: 3 Supersedes date: 11/05/2017

# **Ammoniated Polish Stripper**

AMMONIA ...% 1-5%

CAS number: 1336-21-6 EC number: 215-647-6

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1B - H314 C;R34 N;R50

Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation Remove affected person from source of contamination. Keep affected person warm and at

rest. Get medical attention immediately.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

# 4.2. Most important symptoms and effects, both acute and delayed

InhalationMay be harmful if inhaled.IngestionMay be harmful if swallowed.

**Skin contact** May cause serious chemical burns to the skin.

**Eye contact** May cause serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

### 5.3. Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in

vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty

of water.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

SHELF LIFE OF DILUTION

12 MONTHS

#### SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

Ingredient comments WEL = Workplace Exposure Limits

# 8.2. Exposure controls

### Protective equipment





Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical

splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves

should comply with European Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station and safety shower. Wash at the end of each work shift and before

eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### SECTION 9: Physical and Chemical Properties

# 9.1. Information on basic physical and chemical properties

Appearance Liquid.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity**No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

### 10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Inhalation Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Ingestion Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and

stomach.

**Skin contact** Causes burns. Harmful in contact with skin.

Eye contact Causes burns.

### SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

# 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects None known.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# **SECTION 14: Transport information**

### 14.1. UN number

**UN No. (ADR/RID)** 1760

**UN No. (IMDG)** 1760

**UN No. (ICAO)** 1760

**UN No. (ADN)** 1760

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

CORROSIVE LIQUID, N.O.S.

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S.

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S.

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

# Transport labels



# 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group III

ICAO packing group

### 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

Nο

## 14.6. Special precautions for user

**EmS** F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

80

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

# SECTION 16: Other information

Revision date 28/09/2017

Revision 3

Supersedes date 11/05/2017

SDS number 20696

Hazard statements in full H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.